63,84

S.W.A.

Succulents Nurseries Succulenten - Kulturen

WILHELM TRIEBNER

P.O. Box 539 Windhoek, S.W. A. Phone 830

List of Seeds Sämereien-Verzeichnis

| | 25 | 400 | 4000 | | S. 25 | 100 | 1000 |
|-----------------|-----|-----|------|-----------------|-------------------|------|-------------|
| S. | 25 | 100 | 1000 | | | 100 | 1000 |
| AEONIUM: | -/3 | 16 | 3/- | ANACAMPSEROS | -/6 | 1/- | 8/- |
| Webbi | -/3 | -/6 | 3/- | albissima | 1/- | 3/- | 15/- |
| | | | | Alstonii | State of the last | 1/6 | 10/- |
| ADROMISCHUS: | | | | avasmontana | -/6 | 1/6 | 12/- |
| thirsiflora | -/6 | 1/- | 5/- | Baeseckei | -/6 | - 69 | CONTRACT OF |
| | | | | ", var. crinita | -/9 | 2/- | 15/- |
| ALOE: | | | | Dielsiana | -/9 | 2/- | 15/- |
| Borziana | 1/- | 3/- | 20/- | densifolia | -/6 | 1/- | 6/- |
| gariusana | 1/- | 3/- | 25/- | Herreana | 1/- | 2/- | 12/- |
| hereroensis | -/6 | 1/- | 5/- | karasmontana | -/9 | 2/- | 15/- |
| Juttae | 1/- | 3/- | 10/- | lanceolata | -/3 | -/6 | 4/- |
| lateritia | 1/- | 3/- | 25/- | Margarethae | -/9 | 2/6 | 15/- |
| longistyla | 1/- | 2/6 | 15/- | Meyeri | -/6 | 1/6 | 8/- |
| macrocarpa | 1/- | 3/- | 25/- | papyracea | -/3 | 1/- | 5/- |
| mickbergensis | -/9 | 2/- | 15/- | parviflora | -/3 | 1/- | 5/- |
| percrassa | -/3 | -/6 | 3/- | quinaria | -/3 | 1/- | 6/- |
| rubra-lutea | -/3 | -/6 | 3/- | rufescens | -/3 | -/6 | 3/- |
| saponaria | -/3 | -/6 | 2/6 | Ruschii | 1/- | /3/- | 15 - |
| Schlechteri | 1/- | 3/- | 20/- | tomentosa | -/3 | -/6 | 3/- |
| striata | -/3 | -/6 | 3/- | ", var. crinita | /6 | 1/- | 8/- |
| ", var. hybrida | -/3 | -/9 | 5/- | " " grandfl. | | 1/- | 8/- |
| mandantaka | | -/9 | 5/- | spec. | 1/- | 2/- | 15/- |
| | | -/9 | 4/- | gemischt/mixed | -/3 | -/6 | 3/- |
| ", ", Hanburyan | -/3 | -/6 | 4/- | BOWIEA: | | | |
| zebrina | | 2/6 | 20/- | volubilis | -/9 | 1/6 | 10/- |
| variegata | 1/- | 2/0 | 20/- | VOIDDING | 13 | | |

| S | . 25 | 100 | 1000 | | S. 25 | 100 | 1000 |
|----------------------|------------------------------------|------------|------|---------------------------------------|----------------|-----------------|-------|
| BULBINE: | | | | DAEMIA: | | | |
| tetraphylla | -/3 | -/9 | 5/- | gariepensis | - 1/- | 3/- | 1 |
| | | | | | | | |
| CARALLUMA: | | | | CONCREDIA | | | |
| ausana | 1/- | 3/- | 20/- | ECHEVERIA: | 19 | 16 | 2/ |
| Lugardi | -/3 | -/9 | 8/- | gibbiflora | -/3 | -/6 | 3/- |
| Nebrownii | -/3 | | 5/- | " grandis hybr. metallica | | - /0 | 5/- |
| Pseudo-Nebrownii | | | 12/- | multicaulis | -/6 -/6 | /9 /0 | 4/- |
| Wilfridi | 1/- | 3/- | 25/- | valida | -/6 -/6 | | 8/- |
| | 1-36 | | | vanda | -/0 | 17 | -0/- |
| | | | | | | | |
| CISSUS: | | | | EUPHORBIA: | | | |
| Bainesi | | 3/- | | avasi-montana | 2/6 | 8/- | 45/- |
| Fleckii | | 10/- | | argillicola | 2/6 | 8/- | |
| Juttae | 3/- | 10/- | | Bergeriana | 3/- | 10/- | |
| | 1 | | | brachiata | 3/- | 10/- | |
| COTYLEDON: | | | | bupleurifolia | 2/- | 6/- | |
| ausana | -/3 | -/6 | 2/- | clandestina | 2/- | 6/- | |
| Dinteri | -/6 | | 10/- | crassipes | 3/- | 10/- | |
| orbiculata | -/3 | | 1/- | Dinteri | 5/- | 15/- | |
| ", var. Engleri | -/3 | -/9 | 1/6 | fasciata | 5/- | 15/- | |
| " ,, oophylla | -/6 | 1/- | 3/- | Flanaghani | 2/6 | 8/- | |
| Pearsonii Pearsonii | 1/- | 3/- | 20/- | Friedrichae | 3/- | 10/- | |
| reticulata | 1/- | 3/- | 15/- | gummifera | 3/- | 10/- | |
| ventricosa | -/6 | 1/6 | 12/- | gregaria | 3/- | 10/- | |
| Ventificosa | | | | gorgonis | 1/- | 3/- | |
| | | | | Guerichiana | 5/- | 18/- | |
| CRASSULA: | | | | hottentottae | 2/- | 8/- | 50/- |
| aurosensis | -/6 | 1/6 | 10/- | horrida | 10/- | | |
| Alstonii | -/6 | 1/- | 8/- | lignosa | | 12/- | |
| alpestris | -/6 | 1/- | 8/- | Juttae | 3/- | 1000 | 75/- |
| Archeri | -/6 | 1/- | 8/- | Marientalis | 3/- | | |
| barbata | -/6 | | 8/- | mauritanica | 3/- | | |
| caulescens | | 1/- | 5/- | meloforme | | 3/- | 00/ |
| corallina | -/6 | 1/- | 8/- | Monteiroi | | 3/- | 20/- |
| columella | -/6 | 1/- | 8/- | namibense | | 15/- | |
| columnaris | -/6 | 1/- | 8/- | obesa | 2/6 | - | |
| cultrata | -/6 -/6 | 1/6 | 9/- | orabense | | 8/- | |
| decipiens falcata | -/ 0 -/ 3 | /-6 | 8/- | pseudobrachiata | | 10/- | 25/ |
| Hofmeyeriana - | -/6 | 1/6 | 10/- | Rangeana Schaeferi | 2/6 4/- | | 33/- |
| " spec. nova | -/6 | 1/6 | 10/- | siliciicola | 4/- | 12/- 12/- | |
| montis Draconis | -/6 | 1/- | 8/- | spartiaria | 4/- | 12/- | |
| mesembrian- | 10 | | | Triebneri | 5/- | 18/- | |
| themopsis | -/6 | 1/6 | 10/- | valida | 2/6 | 8/- | |
| rapacea | -/6 | A | 8/- | vanda | 2/6 | The same of the | 60/- |
| rhomboidea | -/6 | 1/- | 6/- | " var. striata | THE PARTY OF | 10/- | 75/- |
| spec. Menatzek | -/6 | 1/- | | ", var. striata | | 101 | |
| tomentosa | -/6 | 1/- | | lescens | 5/- | 15/- | A GAY |
| Triebneri | -/6 | Jan Part L | 10/- | venenata | and the second | 15/- | |
| | | 112 | | · · · · · · · · · · · · · · · · · · · | | 10/ | |

| | S. 25 | 100 | 1000 | S | . 25 | 100 | 1000 |
|-----------------------|-------|-----------------|----------|-------------------------|-------|---------|------|
| GASTERIA: | | | | PORTULACA: | | | |
| ascinacifolia | -/6 | 1/- | | kermesina | -/3 | -/6 | 1/- |
| carinata | -/6 | 1/- | | | 500 | | |
| conspurcata | -/9 | 2/- | | PTERODISCUS: | | | |
| deltoidea | -/9 | 2/- | | aurantiacus | 1/- | 3/- | 20/- |
| disticha | -/6 | 1/- | | lurius | 1/- | 3/- | 20/- |
| nigricans | -/6 | 1/- | | | | | |
| nitida | -/6 | 1/6 | | PUYA: | | | |
| HAWORTHIA: | | | | chilensis | -/3 | -/6 | 3/6 |
| arachnoides | -/6 | 1/6 | | ROCHEA: | | | |
| asperula | 1/- | 3/- | | coccinea | -/6 | 1/- | 5/- |
| Engleri | 1/- | 3/- | | | | | |
| Herrei | 1/- | 3/- | | SARCOCAULON: | | | |
| limiifolia | 1/6 | 5/- | | Burmannii | 2/- | 6/- | 30/- |
| margaritifera | 1/- | 3/- | | Hèritieri | 2/6 | 8/- | |
| pseudo-tesselata | 1/- | 3/- | | Marlothi | 2/- | 6/- | 30/- |
| setata | : 1/- | 3/- | | Patersoni | 2/- | 6/- | |
| spec. new. | 1/- | 3/- | | rigidum | 2/- | 6/- | 30/- |
| gemischt/mixed | -/6 | 1/- | | CARCORILICO | | | |
| HEURNIOPSIS: | | | | SARCOPHAGO- | | | |
| decipiens decipiens | -/6 | 1/6 | 5/- | PHYLUS: | 2/ | 10/ | |
| decipiens | 10 | 1/0 | 3/- | armatus Winklerianus | | 10/- | |
| HOODIA: | | | | Willkierianus | 3/- | 10/- | |
| Gordonii | 2/- | 6/- | | SARCOSTEMMA: | | | |
| Juttae | 2/- | | | andongense | 2/- | 7/6 | |
| macrantha | - 1/- | 3/6 | | viminale | 2/- | 7/6 | |
| simile | 5/- | 15/- | | | | | |
| Triebneri | 5/- | 15/- | | SENECIO: | | | |
| HOODIOPSIS: | | | | angulatus | -/6 | 1/- | |
| Triebneri | 5/- | | | longiflora | -/6 | 1/- | 5/- |
| | | | | pyramidatus | /-/6 | 1/6 | |
| KALANCHOE: | | | | rhopaladenia | -/6 | 1/6 | |
| carnea | -/3 | -/6 | 3/- | scaposus | -/6 | 1/6 | |
| grandiflora | -/3 | -/6 | 5/- | stapeliformis | 1/- | 3/- | |
| pyramidalis | -/3 | -/6 | 3/- | tropaeloides | 1/- | 3/- | |
| rotundifolia | -/3 | -/6 | 4/- | STAPELIA: | | | |
| somalica | -/6 | DECEMBER OF THE | 8/- | Fleckii | 1/- | 3/- | 20/- |
| transvaalensis | -/6 | 1/- | 8/- | glabricaulis | 1/- | A | |
| DACHVDODIUM | | | | Juttae | 1/- | | - |
| PACHYPODIUM giganteum | | 2/- | 10/ | kwebensis | - 1/- | 3/- | 30/- |
| giganteum | -/9 | 2/- | 10/- | longepedicellata | 1/- | 3/- | 20/- |
| PELARGONIUM: | | | | portae-taurinae | 1/6 | 4/- | |
| alternans | | 3/- | 20/- | rufa | 1/- | 3/6 | |
| spinosa | | 5/- | | Schinzii | -/6 | 1/6 | 10/- |
| squarrosa | | 5/- | 35/- | gemischt/mixed | -/6 | 1/- | 3/- |
| xerophytum | 3/- | | Rather F | | 18 3 | 3/3/3/2 | 100 |
| | | 3 3069 | | TAVARESIA: | | | |
| PENTHARRHINU | | | | Barklyi | | 5/- | |
| insipidum | 1/- | 3/- | Table 1 | grandiflora | 1/- | 3/- | 20/- |
| | | | | | | | |

| S. | 25 | 100 | 1000 | S | . 25 | 100 | 1000 |
|------------------|------|-----------------|-------|-----------------------|----------|-------|---------|
| TRICHOCAULON: | | | | CHASMATO- | | | |
| cactiforme | 1/- | 3/- | 20/- | PHYLLUM: | | | |
| Delaetianum | 2/6 | 8/- | 20/- | Brandmuelleri | -/6 | 1/- | 3/- |
| Dinteri | 1/6 | 4/- | 25/- | musculinum | -/6 | 1/- | 3/- |
| Engleri | 1/6 | 4/- | 25/- | compacta | -/6 | 1/- | 3/- |
| keetmanshoopense | 1/- | 3/- | 20/- | repens | -/6 | 1/- | 3/- |
| Marlothii | 1/- | 3/- | 20/- | | | | |
| meloforme | 1/6 | 4/- | 25/- | CHEIRIDOPSIS: | | | |
| pedicellatum | 2/- | 7/- | 201- | aurea | 1/- | 3/- | |
| pedicenatum | -1- | | | bella | 1/- | 3/- | |
| WELWITSCHIA: | | | | brachistygma | 1/6 | 5/- | - |
| mirabilis | 5/- | 10/- | | brevipes | 1/6 | 5/- | |
| mirabilis | 3/- | 10/- | | candidissima | 1/6 | 5/- | |
| | | | | Caroli-Schmidtii | -/6 | 1/- | 8/- |
| Mesembrya | antl | nem | a. | cigarettifera | 1/- | 3/- | 20/- |
| | | | | compressa | 1/- | 3/- | |
| ACRODON: | | | | crassa | 1/- | 3/- | |
| bellidiflora | -/6 | 1/- | 5/- | inaequalis | 1/- | 1/6 | |
| | | | | Johannes Winkler | | 1/6 | |
| ALOINOPSIS: | | | | multiserrata | 1/- | 2/- | |
| rubrolineata | 1/- | 3/- | | peculiaris | 1/- | 1/6 | |
| | | | | purpurascens | 1/6 | 5/- | |
| ARGETA: | | | | Richardiana | 1/- | 3/- | |
| petrensis | 1/- | 3/- | 1 | serrulata | 1/- | 3/- | |
| | | | | turbinata | 1/6 | 5/- | 1 |
| ARGYRODERMA: | | | | CONODUNTUM | | | |
| Delaetii | 1/- | 3/- | 1 - 1 | CONOPHYTUM: | | 0.1 | |
| Jacobsenianum | 1/- | 3/6 | | bilobum | 1/- | 3/- | |
| octophyllum | 1/- | 3/- | | calculus | 1/- | 3/- | |
| Schlechteri | 1/- | 3/- | | fraternum | 1/6 | 4/- | |
| subalbum | 1/- | 2/6 | | Hildegardae | 2/- | 6/- | |
| testiculare | 1/- | 2/- | | Meyerae | 1/- | 2/- | |
| Mischung/mixed | 1/- | 2/- | | Maughanii odoratum | 1/- | 1/6 | |
| | | | | saxetanum | 1/6 | 5/- | |
| ARIDARIA: | | | | truncatum | 1/- | 3/- | |
| brevifolia | -/6 | . 1/- | | | 1/6 | 5/- | Ser V |
| noctiflora | -/6 | 1/- | | Mischung/mixed | 1/- | 2/6 | |
| DEDCEDANTING | | | | DACTYLOPSIS: | | | |
| BERGERANTHUS: | 10 | No. of the last | | digitatus | 2/_ | 6/- | |
| scapiger | | 1/- | | digitatus | -1 | 0/- | |
| vespertinus | -/0 | 1/- | | DIDYMAOTUS: | | | |
| BYLIA: | | | | lapidiforme | -/6 | 1/- | 8/- |
| cana | | 4/- | | major | 1/- | | |
| Cana | 1/0 | 7/- | | minor | 1/- | 3 - 4 | |
| CARRUANTHUS: | | | | | 1978 | | |
| caninus | -/6 | 1/6 | | DINTERANTHUS: | | | |
| | | | | inexpectatus | 1/- | 2/- | 10/- |
| CEPHALOPHYLLUI | W: | | | microspermus | 1/- | 2/- | 10/- |
| Alstonii | | 3/- | | Pole-Evansii | 1/- | 2/- | 10/- |
| Duementum | 1/- | 3/- | | puberulus | 1/- | 2/- | 10/- |
| | | | | | 15-15-16 | 286 | 118 120 |

| 1. T. S. | 25 | 100 | 1000 | S. | 25 | 100 | 1000 |
|---------------------|------------|-----|------|-------------------|-------|------|------------|
| DIPLOSOMA: | - | 100 | 1000 | IMITARIA: | ~0 | 100 | 1000 |
| retroversum | -/6 | 1/6 | | Muiri | 2/- | 4/- | 30/- |
| | | -10 | | | - | | 30, |
| DROSANTHEMUM | | | | JUTTADINTERIA: | | | |
| Hermannii | -/6 | 1/- | | albata | 1/- | 2/- | 10/- |
| EBRACTEOLA: | | | | buchubergensis | 1/- | 2/- | 10/- |
| Derenbergii | 16 | 1/- | 5/- | proxima | 1/- | 2/6 | 15/- |
| montis Moltkei | -/6 -/6 | 1/- | 5/- | Simpsonii | · 1/- | 2/- | 12/- |
| vallis paxis | | 1/6 | 8/- | | | | FINE STATE |
| spec. Schmoll- | -/6 | 1/0 | 0/- | LAPIDARIA: | | | |
| mann | 1/- | 3/- | 10/- | Margarethae | -/6 | 1/6 | 10/- |
| mann | | 0/- | 10/- | | | | |
| FAUCARIA: | | | | LEIPOLDTIA: | | | 12 6 8 |
| Bosscheana | 1/- | 3/- | | Briteniae | 1/- | 3/- | 25/- |
| felina var. Jamesii | 1/- | 3/- | | LITHOPS: | | | |
| tigrina | 1/- | 2/- | | alpina | -/6 | 1/6 | 10/- |
| tuberculata | 1/- | 2/- | | Aucampiae | 1/- | 3/- | 20/- |
| GIBBAEUM: | | | | bella | -/6 | 1/6 | 10/- |
| album | 1/- | 2/- | | commodum | 2/- | 7/6 | 10/- |
| angulipes | 1/- | 2/6 | 15/- | Comptonii | 1/- | 2/- | 12/- |
| Comptonii | 1/- | 2/6 | 15/- | Dinteri | 3/- | | a grade |
| geminum | 1/6 | 4/- | 20/- | Eberlanzii | 2/- | 6/- | 40/- |
| gibbosum | 1/- | 2/6 | 15/- | elevata | 1/6 | 3/- | 20/- |
| Helmeae | 1/6 | 5/- | 1 | Elisabethae | 1/6 | 4/- | 30/- |
| molle | -/9 | 2/- | 10/- | Erniana | 1/6 | 4/- | 30/- |
| pachypodium | 1/6 | 5/- | | farinosa | 2/- | 6/- | Sept. |
| perviride | 1/- | 2/- | 10/- | Framesii | 2/- | 6/- | |
| pilosulum | 1/- | 2/- | 10/- | Franciscii | 2/6 | 8/- | |
| pubescens | -/9 | 1/6 | 8/- | Fulleri | 1/- | 2/- | 15/- |
| Shandii | 2/- | 6/- | 35/- | fulviceps | 1/- | 2/- | 15/- |
| velutinum | 1/- | 3/- | 20/- | Herrei | 1/6 | 4/- | 20/- |
| Mischung/mixed | 1/- | 2/- | 8/- | Helmuthi | 2/- | 6/- | |
| GLOTTIPHYLLUM | | | | inornata | 3/- | 10/- | |
| linguiforme | -/6 | 1/6 | 10/- | Julii | 1/- | 2/6 | 15/- |
| longum | -/6 | 1/- | 8/- | karasmontana | -/6 | 2/- | 10/- |
| Lehmannii | 1/- | 3/- | 35/- | kuibisensis | 1/- | 2/6 | 15/- |
| Schoenlandii | 1/- | | 12/- | kunjasensis | 1/- | 2/- | 10/- |
| | - | | | lactea | 1/- | 3/- | 25/- |
| HEREROA: | | | | lateritia | 1/- | 3/- | 25/- |
| angustifolia | -/6 | 1/6 | 5/- | Lericheana | 1/6 | 4/- | 30/- |
| Dyeri | -/6 | 1/- | 5/- | Lesliei | -/6 | 1/6 | 4/- |
| fimbriata | -/6 | 1/6 | 8/- | Lydiae | 2/- | 6/- | 40/- |
| gracilis | -/6 | 1/6 | 8/- | Marthae | 2/- | 6/- | 101 |
| granulata | -/6 | 1/- | 5/- | Meyeri | 1/- | 2/- | 15/- |
| Herrei | -/6 | 1/6 | 8/- | mickbergensis | 1/- | 2/- | 10/- |
| karrasmontana | -/6 | 1/6 | 8/- | olivacea | 1/- | 2/- | 12/- |
| Puttkameriana | -/6 | 1/- | 5/- | opalina | -/6 | 1/- | 18/- |
| ", var. glabrior | -/6 | 1/6 | 8/- | optica | -/9 | 1/6 | 10/- |
| flore albo | 2/- | 6/- | 3 1 | Peersii | -/6 | 1/6 | 10/- |
| Mischung/mixed | -/6 | 1/- | 3/- | pseudotruncatella | -/3 | -/6 | 2/- |

| S | . 25 | 100 | 1000 | | 6. 25 | 100 | 1000 |
|-------------------|----------|--|--|----------------|---------------------------------------|------|-------|
| pseudotruncatella | -/3 | -/6 | 2/- | OPHTHAL- | | | |
| ", var. Mundtii | -/6 | 1/- | 3/ | MOPHYLLUM: | | | |
| ", ", pulmonur | | 44 | | Friedrichae | -/9 | 2/6 | 20/- |
| cula | -/6 | 1/- | 3/- | Forsteri | 1/- | 3/- | 25/- |
| rugosa | -/9 | 2/- | 15/- | Herrei | 1/- | 3/- | 25/- |
| Ruschiorum | -/9 | 2/- | 12/- | Pillansi | 1/- | 3/- | 25/- |
| Schlechteri | 1/- | 3/- | | Schlechteri | 1/6 | 5/- | 30/- |
| Schwantesii | 1/- | 3/- | 20/- | Schuldtii | 1/6 | | 35/- |
| summitata | -/6 | 1/- | 8/- | Triebneri | 2/- | 6/- | 40/- |
| terricolor | 2/- | 6/- | 30/- | | | | |
| translucens | 1/- | 3/- | 20/- | OSCULARIA: | | | |
| Triebneri | 1/- | 3/- | 20/- | caulescens | -/6 | 1/6 | 8/- |
| turbiniforme | 1/- | 2/6 | 15/- | PEERSIA: | | | |
| umdausensis | 1/- | 3/- | 20/- | Frithii | 1 | 21 | |
| urikosensis | 1/- | 3/- | 20/- | THUM | 1/- | 3/- | |
| vallis Mariae | -/9 | | | PRENIA: | | | |
| van Zylii | | 3/- | 25/- | pellans | 1/- | 3/- | |
| Mischung/mixed | -/3 | 1/- | 4/- | penano | 1 | | |
| | | | | PLEIOSPILUS: | | | |
| MENTHOCALYX: | | | | Bolusii | -/6 | 1/6 | 10/- |
| velutina | 1/- | 3/- | 20/- | " flore rubra | 2/- | 6/- | |
| | | | | Archerii | 1/- | 2/- | 8/- |
| MESEMBRY- | | | | Hilmarii * | 1/- | 2/- | 10/- |
| ANTHEMUM: | | | | magnipunctata | -/9 | 1/6 | 8/- |
| blandum | -/6 | 1/6 | 10/- | minor | 1/- | 3/- | |
| pachyphyllum | 1/- | 3/- | | Nelii | 1/- | 2/- | 10/- |
| rubrifolium | 1/- | 3/- | | optata | 2/- | 6/- | |
| | | | | Roodiae | -/6 | 1/6 | 5/- |
| MEYEROPHYTUN | ۸: | | | simulans | -/6 | 1/- | 8/- |
| -Meyeri | 2/- | 7/6 | | Willowmorensis | 1/- | 3/= | 1 |
| | | | | | | | |
| MONILARIA: | | | | PSAMMOPHORA: | | | |
| moniliformis | 2/- | 6/- | | longifolia | 2/- | 6/- | |
| | | | | Pillansii | 2/- | 6/- | |
| NANANTHUS: | | | , 10 | RHINEPHYLLUM | | | |
| aloides | 1172 127 | 10/- | 1 | Comptonii | | 10/ | |
| albinotus | -/6 | 1/6 | | Muirii | | 10/- | |
| Lesliei | 2/- | 6/- | | MINITE | 3/- | 10/- | |
| Peersii | 3/- | | The state of | RHOMBOPHYLLU | JM: | | |
| Pole-Evansii | 3/- | 10/- | | dolabriforme | -/6 | 1/- | 5/- |
| NELIA | | | | Nelii | -/6 | 1/- | 5/- |
| NELIA: | 1/ | 21 | | rhomboideum | -/6 | 1/- | 5/- |
| Meyeri | 1/- | 3/- | | | 10 | | |
| ODONTOPHORUS | S: | | | RIMARIA: | 53. | | |
| Marlothii | 1/- | 3/- | A STATE OF THE STA | Comptonii | -/9 | 2/6 | 16/- |
| nanus | 1/- | The Party of the P | 1000 | Heathi | -/6 | 1/6 | 10/- |
| | | | | ,, var. magna | 1/- | 3/- | 20/- |
| OOPHYTUM: | | | | Lueckhoffii | 1/- | 3/- | 20/- |
| nanum | 2/6 | 8/- | | Primosii | 2/6 | 8/- | |
| oviforme | 3/- | 10/- | | Roodiae | 1/- | 2/6 | 18/- |
| | 4 6 M | 345 37 | | | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | 21-25 |

| | S. | 25 | 100 | 1000 | S. | 25 | 100 | 1000 |
|----------------|-----|------|--------|------|------------------|--------------|------|-------------------|
| RUSCHIA: | | | | | TRICHOCYCLUS: | | | |
| axthelmiana | | -/6 | 1/- | 6/- | ciliatus | 2/- | 7/6 | |
| acuminata | | -/6 | 1/- | 6/- | | | | |
| Archeri | | 1/6 | 3/6 | 15/- | VERRUCIFERA: | | | |
| crassa | | 1/- | 2/6 | 12/- | Hugonis- | | | |
| hamata | | -/6 | 1/6 | 8/- | Schlechteri | 1/6 | 5/- | 30/- |
| Herrei | | 1/- | 3/- | 10/- | Schwantesii | -/9 | 2/- | 8/- |
| hexamera var. | | | | | Luederitzii | 1/6 | 5/- | 30/- |
| longipetata | | 1/- | 3/- | 15/- | | ACTOR! | | |
| evoluta | | 3/6 | 10/- | | Blumenzwiel | oeln | /Bu | ilbs. |
| fenestrata | | 3/6 | 10/- | | | each | doz. | 100 |
| hesperantha | | -/6 | 1/- | 3/- | BUPHANE | | | |
| namaquense | | -/6 | 1/6 | 8/- | disticha | 5/- | | |
| muricata | | -/6 | 1/6 | ·S/- | | | | |
| pseudorupicola | | -/6 | 1/- | 5/- | CRINUM: | | | |
| rupicola | | -/6 | 1/- | 5/- | Caroli-Schmidtii | 3/- | | 150/- |
| Steingroeveri | | 1/- | 5/- | 25/- | leucophyllum | 1/6 | 15/- | The state of the |
| tumidula | | 1/- | 3/- | 20/- | longiflora | 1/6 | 15/- | The second second |
| uncinata | | 1/- | 3/- | 20/- | roseum | 1/6 | 15/- | 75/- |
| uncinella | | 1/- | 3/- | 15/- | CHAPMANOLIRIO | NI. | | |
| vulvaria | | -/6. | 1/6 | 8/- | | -/6 | 4/- | 20/- |
| | 100 | | | | Juttae | -/0 | 1 | 20/- |
| SCHWANTESIA | | | | 1 | CHORTILIRION: | | | |
| Ruedebuschii | | -/6 | 1/6. | 12/- | Chapmannae | 2/6 | 24/- | A LONG |
| | | | | | | | | |
| STOMATIUM: | | | | | GLORIOSA: | | | |
| alboroseum | | 1/6 | _ 4/6 | 30/ | virescens | 2/6 | 24/- | |
| Fullerii | | -/6 | 1/6 | 12/- | OUTOWN | | | |
| Jamesii | | -/6 | 1/6 | 10/- | GALTONIA: | 41 | . 01 | 101 |
| miranum | | -/6 | 1/- | 8/- | pseudogaltonia | 1/- | 8/- | 40/- |
| mustellinum | | -/6 | - 1/- | 8/- | HAEMANTHUS: | | | |
| | | 1 | | | otaviense | 2/6 | 24/- | |
| TITANOPSIS: | | | | | splendens | 2/6 | 24/- | |
| calcarea | 200 | -/6 | 1/6 | 10/- | spichaens | 2/0 | | |
| " spec. | | 1/- | 3/- | 20/- | HYPOXIS: | | | |
| Lueckhoffii | | 2/- | 7/6 | | obtusa | 1/- | 8/- | 50/- |
| Primosii | | 1/6 | 5/- | | Dinteri | 1/6 | 12/- | |
| setifera | | 1/6 | 5/- | | | The state of | | |
| | 1 | | | | NERINE: | | | |
| TRICHODIADE | MA | | F 3 18 | | lucida | 1/6 | 12/- | |
| densum | | 1/- | 3/- | | ODWITHOGLOSSI | M | | |
| olivacea | | 1/- | | | ORNITHOGLOSSU | | 01 | |
| stelligerum | | 1/- | _ 3/- | | glaucum | 1/- | 8/- | |

Sämtliche Succulenten-Samen sind von Kulturpflanzen geerntet.

All seeds of succulents are harvested from cultivated plants.

Zahlungsbedingungen: Kasse mit Auftrag. Checks aus dem Auslande zuzüglich Bankspesen.

Terms: Cash with order or C.O.D.

